

FEB 28 2007

Serial No. 10/736,921  
60246-220; 10691**IN THE CLAIMS**

1. (CURRENTLY AMENDED) A purification system comprising:  
a substrate; and  
a layered catalytic coating applied on said substrate, wherein said layered catalytic coating comprises a first layer of a photocatalytic coating that is operative to react with a target substance to produce a first intermediate substance, a second layer of a photocatalytic metal loaded metal compound coating that is operative to react with the first intermediate substance to form a second intermediate substance, and a third layer of a thermocatalytic coating that is operative to react with the second intermediate substance to produce a product substance.
2. (ORIGINAL) The purification system as recited in claim 1 wherein said first layer is one of titanium dioxide and a metal compound loaded titanium dioxide.
3. (CURRENTLY AMENDED) The purification system as recited in claim 2 wherein said first layer is a metal compound loaded titanium dioxide coating and said metal compound is at least one of WO<sub>3</sub>, ZnO, CdS, SrTiO<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub>, V<sub>2</sub>O<sub>5</sub>, SnO<sub>2</sub>, FeTiO<sub>3</sub>, PbO, Co<sub>3</sub>O<sub>4</sub>Ce<sub>3</sub>O<sub>4</sub>, NiO, CeO<sub>2</sub>, CuO, SiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, Cr<sub>2</sub>O<sub>3</sub>, and ZrO<sub>2</sub>.
4. (ORIGINAL) The purification system as recited in claim 1 wherein said first layer has a thickness less than 2  $\mu$ m.
5. (ORIGINAL) The purification system as recited in claim 1 wherein said second layer is a catalytically active metal supported on titanium dioxide.
6. (ORIGINAL) The purification system as recited in claim 5 wherein said catalytically active metal is one of a metal alloy and an intermetallic compound supported on said titanium dioxide.
7. (ORIGINAL) The purification system as recited in claim 5 wherein said catalytically active metal is a Group VIII noble metal.

Serial No. 10/736,921  
60246-220; 10691

8. (ORIGINAL) The purification system as recited in claim 7 wherein said Group VIII noble metal is one of rhodium, ruthenium, palladium, iridium, osmium, and platinum.
9. (ORIGINAL) The purification system as recited in claim 5 wherein said catalytically active metal is one of silver and rhenium.
10. (ORIGINAL) The purification system as recited in claim 1 wherein said second layer oxidizes low polarity organic molecules.
11. (ORIGINAL) The purification system as recited in claim 1 wherein said third layer comprises gold on a metal oxide, and said metal oxide is one of titanium dioxide, mixed metal oxides including titanium dioxide, and titanium dioxide loaded with a second metal oxide.
12. (ORIGINAL) The purification system as recited in claim 11 wherein said third layer oxidizes carbon monoxide.
13. (ORIGINAL) The purification system as recited in claim 1 wherein said third layer is applied on said substrate, said second layer is applied on said third layer, and said first layer is applied on said second layer.
14. (ORIGINAL) The purification system as recited in claim 1 further comprising a manganese oxide/metal oxide layer applied on said substrate, and said third layer is applied on said manganese oxide/metal oxide layer, said second layer is applied on said third layer, and said first layer is applied on said second layer.
15. (ORIGINAL) The purification system as recited in claim 14 wherein said manganese oxide/metal oxide layer is manganese oxide and a promoter doped manganese oxide/titanium dioxide.
16. (ORIGINAL) The purification system as recited in claim 14 wherein manganese oxide/metal oxide layer decomposes ozone.

Serial No. 10/736,921  
60246-220; 10691

17. (PREVIOUSLY AMENDED) The purification system as recited in claim 1 further comprising a light source to activate said layered catalytic coating, wherein said layered catalytic coating oxidizes contaminants that are adsorbed onto said layered catalytic coating when activated by said light source.
18. (ORIGINAL) The purification system as recited in claim 17 wherein said light source is an ultraviolet light source.
19. (ORIGINAL) The purification system as recited in claim 17 wherein photons from said light source are absorbed by said layered catalytic coating, forming a reactive hydroxyl radical that oxidizes said contaminants in the presence of oxygen and water, and said reactive hydroxyl radical oxidizes said contaminants to water and carbon dioxide.
20. (ORIGINAL) The purification system as recited in claim 17 wherein said contaminants are at least one of a volatile organic compound and a semi-volatile organic compound including at least one of aldehyde, ketone, alcohol, aromatic, alkene, and alkane.
21. (ORIGINAL) The purification system as recited in claim 1 wherein said first layer, said second layer and said third layer are porous.
22. (PREVIOUSLY AMENDED) A fluid purification system comprising:  
a container having an inlet and an outlet;  
a porous substrate inside said container;  
a device for drawing a fluid into said container through said inlet, flowing said fluid through said porous substrate, and expelling said fluid out of said container through said outlet;  
a layered catalytic coating applied on said substrate, and said layered catalytic coating includes a first layer of a photocatalytic metal oxide coating, a second layer of a photocatalytic noble metal loaded metal oxide coating, and a third layer of a thermocatalytic coating, and said third layer is gold/metal oxide; and

Serial No. 10/736,921  
60246-220; 10691

an ultraviolet light source to activate said layered catalytic coating, and photons from said ultraviolet light source are absorbed by said layered catalytic coating to form a reactive hydroxyl radical, and said reactive hydroxyl radical oxidizes contaminants in said fluid that are adsorbed onto said layered catalytic coating when activated by said ultraviolet light source to water and carbon dioxide in the presence of water and oxygen.

23. (CANCELLED)

24. (PREVIOUSLY AMENDED) A purification system comprising:

a first substrate having a first coating of one of titanium dioxide and metal compound/titanium dioxide;

a second substrate having a second coating of metal/titanium dioxide; and

a third substrate having a third coating of metal oxide/titanium dioxide.

25. (ORIGINAL) The purification system as recited in claim 24 wherein said first coating is metal compound/titanium dioxide, said second coating is gold/titanium dioxide, and said third coating is manganese oxide/titanium dioxide.

26. (PREVIOUSLY AMENDED) The purification system as recited in claim 24 wherein a metal oxide of said metal oxide/titanium dioxide is at least one of  $\text{WO}_3$ ,  $\text{ZnO}$ ,  $\text{SrTiO}_3$ ,  $\text{Fe}_2\text{O}_3$ ,  $\text{V}_2\text{O}_5$ ,  $\text{SnO}_2$ ,  $\text{FeTiO}_3$ ,  $\text{PbO}$ ,  $\text{Co}_3\text{O}[[4]]_4$ ,  $\text{NiO}$ ,  $\text{CeO}_2$ ,  $\text{CuO}$ ,  $\text{SiO}_2$ ,  $\text{Al}_2\text{O}_3$ ,  $\text{Cr}_2\text{O}_3$ , and  $\text{ZrO}_2$ .

27. (PREVIOUSLY AMENDED) The purification system as recited in claim 24 wherein said third substrate is distal to an inlet of said purification system, and said first substrate and said second substrate are proximate to said inlet of said purification system.

28. (CURRENTLY AMENDED) A method of purification comprising the steps of:

applying a layered catalytic coating on a substrate, wherein said layered catalytic coating comprises a first layer of a photocatalytic coating that is operative to react with a target substance to produce a first intermediate substance, a second layer of a photocatalytic metal loaded metal compound coating that is operative to react with the first intermediate substance to form a second

Serial No. 10/736,921  
60246-220; 10691

intermediate substance, and a third layer of a thermocatalytic coating that is operative to react with the second intermediate substance to produce a product substance; and

activating said layered catalytic coating.

29. (PREVIOUSLY PRESENTED) The purification system as recited in claim 1 wherein said substrate is a honeycomb.

30. (CURRENTLY AMENDED) The purification system as recited in claim 2 wherein said first layer is a metal compound loaded titanium dioxide coating and said metal compound is manganese oxide  $Mn_xO_2$ .

31. (PREVIOUSLY PRESENTED) The fluid purification system as recited in claim 22 wherein said porous substrate is a honeycomb.

32. (PREVIOUSLY PRESENTED) The purification system as recited in claim 24 wherein each of said first substrate, said second substrate and said third substrate are a honeycomb.

33. (CURRENTLY AMENDED) The purification system as recited in claim 24 wherein a metal oxide of said metal oxide/titanium dioxide is manganese oxide  $Mn_xO_2$ .

34. (PREVIOUSLY PRESENTED) The method as recited in claim 28 wherein said substrate is a honeycomb.

35. (CANCELLED)

36. (NEW) The purification system as recited in claim 24, wherein the first coating, the second coating, and the third coating cooperate to react with a target substance to form a product substance.

37. (NEW) The purification system as recited in claim 24, wherein the first coating is operative to react with a target substance to form a first intermediate substance, the second

Serial No. 10/736,921  
60246-220; 10691

coating is operative to react with the first intermediate substance to form a second intermediate substance, and a third coating is operative to react with the second intermediate substance to form a product substance.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**